

Appl. No. 09/189,099  
Amdt. Dated October 13, 2005  
Reply to Office action of July 14, 2005  
Attorney Docket No. P09713-US1  
EUS/J/P/05-3252

### **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

1. (Currently Amended) A method for improving speech quality in a cellular communications network, said method comprising the steps of:  
selecting a cell from a plurality of cells forming the cellular communications network;  
evaluating a first plurality of mobile reports received from mobile terminals located within a border area of the cell;  
determining, in response to evaluating the first plurality of mobile reports, a speech quality value within a portion of the cell along the border area; and  
adjusting a hierarchical cell structure threshold value of the cell to increase handovers of ongoing calls to another cell in a different layer of the cellular communications network, wherein the step of adjusting further includes:  
decreasing the portion of the cell when a lower threshold exceeds the speech quality value; or  
increasing the portion of the cell when the speech quality value exceeds an upper threshold.
2. (Original) The method of Claim 1, wherein said step of decreasing the portion of the cell further includes adjusting at least one border offset parameter to reduce a size of the portion of the cell.
3. (Canceled)
4. (Original) The method of Claim 1, wherein said step of increasing the portion of the cell further includes adjusting at least one border offset parameter to increase a size of the portion of the cell.

Appl. No. 09/189,099  
Amdt. Dated October 13, 2005  
Reply to Office action of July 14, 2005  
Attorney Docket No. P09713-US1  
EUS/J/P/05-3252

5. (Original) The method of Claim 1, wherein said step of increasing the portion of the cell further includes adjusting a hierarchical cell structure threshold value of the cell to decrease handovers of ongoing calls to another cell in a different layer of the cellular communications network.

6. (Original) The method of Claim 1, wherein said portion of the cell further includes a cell border area or a section of the cell border area.

7. (Original) The method of Claim 1, further comprising the steps of:  
determining an interfering cell from the plurality of cells, said interfering cell causes interference within said cell;  
evaluating a second plurality of mobile reports; and decreasing a portion of the interfering cell to improve the speech quality value in the cell.

8. (Original) The method of Claim 7, wherein said step of decreasing a portion of the interfering cell further includes adjusting at least one border offset parameter to reduce a size of the portion of the interfering cell, said portion of the interfering cell includes a cell border area or a section of the cell border area.

9. (Original) The method of Claim 8, wherein said step of adjusting at least one border offset parameter further includes determining a strongest neighbor cell adjacent to the section of the interfering cell to be reduced in size.

10. (Original) The method of Claim 7, wherein said step of decreasing a portion of the interfering cell further includes adjusting a hierarchical cell structure threshold value of the interfering cell to increase handovers of ongoing calls to another cell in a different layer of the cellular communications network, said portion of the interfering cell includes a cell border area or a section of the cell border area.

Appl. No. 09/189,099  
Amdt. Dated October 13, 2005  
Reply to Office action of July 14, 2005  
Attorney Docket No. P09713-US1  
EUS/J/P/05-3252

11. (Original) The method of Claim 1, further comprising the steps of:  
determining an interfering cell from the plurality of cells, said interfering cell causes  
interference within said cell; and

allocating a channel during a call setup or handover on a Broadcast Control  
Channel frequency used within the interfering cell to improve the speech quality value in  
the cell.

12. (Previously Presented) A method for improving speech quality in a  
cellular communications network, said method comprising the steps of:

selecting a cell from a plurality of cells forming the cellular communications  
network;

receiving a first plurality of mobile reports from a first transceiver located in the  
cell and from a corresponding number of first mobile terminals located in a portion of the  
cell and within a predetermined distance from a border of a non-coisted cell, said  
portion of the cell including a cell border area or a section of the cell border area;

determining, in response to receiving the first plurality of mobile reports, an  
average speech quality value of the portion of the cell;

dynamically changing the portion of the cell by decreasing the portion when a  
lower threshold exceeds the average speech quality value, and increasing the portion  
when the average speech quality value exceeds an upper threshold;

determining an interfering cell from the plurality of cells, said interfering cell  
causes interference within said cell;

receiving a second plurality of mobile reports from a second transceiver located  
in the interfering cell and from a corresponding number of second mobile terminals  
located in the interfering cell; and

decreasing a portion of the interfering cell to improve the average speech quality  
value in the cell, said portion of the interfering cell including a cell border area or a  
section of the cell border area.

Appl. No. 09/189,099  
Amdt. Dated October 13, 2005  
Reply to Office action of July 14, 2005  
Attorney Docket No. P09713-US1  
EUS/J/P/05-3252

13. (Original) The method of Claim 12, wherein said step of decreasing the portion of the cell further includes adjusting at least one border offset parameter to reduce a size of the portion of the cell, or adjusting a hierarchical cell structure threshold value of the cell to increase handovers of ongoing calls to another cell in a different layer of the cellular communications network.

14. (Original) The method of Claim 12, wherein said step of increasing the portion of the cell further includes adjusting at least one border offset parameter to increase a size of the portion of the cell, or adjusting a hierarchical cell structure threshold value of the cell to decrease handovers of ongoing calls to another cell in a different layer of the cellular communications network.

15. (Original) The method of Claim 12, wherein each of the first plurality of mobile reports further includes a plurality of downlink signal strengths and a downlink speech quality value determined at one of the first plurality of mobile terminals, and an uplink signal strength and an uplink speech quality value determined at the first transceiver.

16. (Original) The method of Claim 12, wherein said step of decreasing a portion of the interfering cell further includes adjusting at least one border offset parameter to reduce a size of the portion of the interfering cell, or adjusting a hierarchical cell structure threshold value of the interfering cell to increase handovers of ongoing calls to another cell in the different layer of the cellular communications network.

17. (Original) The method of Claim 16, wherein said step of adjusting at least one border offset parameter further includes determining a strongest neighbor cell adjacent to the section of the interfering cell to be reduced in size.

18. (Currently Amended) A cellular communications network comprising:

Appl. No. 09/189,099  
Amdt. Dated October 13, 2005  
Reply to Office action of July 14, 2005  
Attorney Docket No. P09713-US1  
EUS/J/P/05-3252

a cell;

a first transceiver station located within the cell;

a first plurality of mobile terminals located in a portion of said cell and within a border area of the cell, said portion includes the cell border area or a section of the cell border area; and

a controller for receiving a first plurality of mobile reports, said controller further including:

means for determining an average speech quality value of the portion of the cell along the border area in response to receiving the first plurality of mobile reports; and

means for adjusting a hierarchical cell structure threshold value of the cell to increase handovers of ongoing calls to another cell in a different layer of the cellular communications network, wherein the adjusting means further includes:

means for decreasing the portion of the cell when a lower threshold exceeds the average speech quality value; or

means for increasing the portion of the cell when the average speech quality value exceeds an upper threshold.

19. (Original) The cellular communications network of Claim 18, wherein said means for decreasing the portion of the cell further includes means for adjusting at least one border offset parameter to reduce a size of the portion of the cell.

20. (Canceled)

21. (Original) The cellular communications network of Claim 18, wherein said means for increasing the portion of the cell further includes means for adjusting at least one border offset parameter to increase a size of the portion of the cell.

22. (Original) The cellular communications network of Claim 18, wherein said means for increasing the portion of the cell further includes means for adjusting a

Appl. No. 09/189,099  
Amdt. Dated October 13, 2005  
Reply to Office action of July 14, 2005  
Attorney Docket No. P09713-US1  
EUS/J/P/05-3252

hierarchical cell structure threshold value of the cell to decrease handovers of ongoing calls to another cell in a different layer of the cellular communications network.

23. (Original) The cellular communications network of Claim 18, further comprising:

- an interfering cell that causes interference within said cell;
- a second transceiver station located within the interfering cell;
- a second plurality of mobile terminals located within the interfering cell; and
- said controller for receiving a second plurality of mobile reports, said controller further includes means for decreasing a portion of the interfering cell to improve the average speech quality value in the cell, said portion of the interfering cell includes a cell border area or a section of the cell border area.

24. (Original) The cellular communications network of Claim 23, wherein said means for decreasing the portion of the interfering cell further includes means for adjusting at least one border offset parameter to reduce a size of the portion of the interfering cell.

25. (Original) The cellular communications network of Claim 24, wherein said means for adjusting at least one border offset parameter further includes means for determining a strongest neighbor cell adjacent to the section of the interfering cell to be reduced in size.

26. (Original) The cellular communications network of Claim 23, wherein said means for decreasing the portion of the interfering cell further includes means for adjusting a hierarchical cell structure threshold value of the interfering cell to increase handovers of ongoing calls to another cell in a different layer of the cellular communications network.

Appl. No. 09/189,099  
Amdt. Dated October 13, 2005  
Reply to Office action of July 14, 2005  
Attorney Docket No. P09713-US1  
EUS/J/P/05-3252

27. (Original) The cellular communications network of Claim 18, further comprising an interfering cell that causes interference within said cell, said controller further includes means for allocating a channel during a call setup or handover on a Broadcast Control Channel frequency used within the interfering cell to improve the average speech quality value in the cell.